








SIRAGE



SAMSUNG
LED INSIDE



PRODUCTS
CATALOGUE



CATALOG INDEX




SIRAGE

FAMILY NAME	PAGE NO. رقم الصفحة	أسم العائلة
LED BULB FAMILY	3	عائلة البالبل الليد
LED CANDLE BULB FAMILY	13	عائلة اللمبات الشمعة الليد
SPOT LAMP FAMILY	21	عائلة اللمبات الـ سبوت
DYNAMIC SPOTLIGHT FAMILY	27	عائلة الأسبوت المتحرك
LED PLASTIC PANELS FAMILY	35	عائلة البانلات الليد البلاستيكية
LED METAL PANELS FAMILY	41	عائلة البانلات الليد المعدنية
COB PANELS FAMILY	47	عائلة البانلات الـ COB
OUTDOOR FLOODLIGHT FAMILY	51	عائلة كشافات الواجهات
FRINGELESS PANELS FAMILY	55	عائلة البانلات البلفونيرة
MOISTURE-PROOF LED BULKHEAD FAMILY	58	عائلة الكشافات المضادة للرطوبة والأترية
LED DOWNLIGHT DOUBLE COLOR FAMILY	63	عائلة البانلات الليد ثنائية الألوان
LED TUBE LAMPS FAMILY	67	عائلة اللمبات التيوب الليد
LED FLAT PANELS FAMILY	70	عائلة البانلات المسطحة الليد
LED UFO LAMPS FAMILY	72	عائلة لمبات الـ UFO الليد
LED CEILING LIGHTS FAMILY	76	عائلة مصابيح السقف الليد
LED BATTEN LIGHTS FAMILY	80	عائلة الكشافات الخطية الليد

SIRAGE


Pioneering Manufacturer

Of Latest LED Lighting
Technology in **Egypt**





SIRAGE



عائلة البالبيد
LED BULB FAMILY



SIRAGE

LED BULB Two Colors

لمبة بالباليد
لونين

9

WATT



Low energy consumption. Easy replacements of classic lamps thanks to compact design. Environment-Friendly.

LED-9W-2C



ضمان 3 سنوات
WARRANTY 3 YEARS



إضاءة
دافئة
3000K



إضاءة
بيضاء
6500K



POWER
9 W = 60W



INPUT VOLTAGE
175-265 V



LIFE TIME
25000 HOURS



BEAM ANGLE
200°



LUMINOUS FLUX
900 LUMENS



P.F
> 0.5



FREQUENCY
50/60 HZ



CRI
> 80




BASE
E27

E27



60mm



SAMSUNG LED INSIDE

LED BULB

Three Steps

لمبة بالب ليد

ثلاث مستويات

9

WATT



Low energy consumption. Easy replacements of classic lamps thanks to compact design. Environment-Friendly.



SIRAGE



ضمان 3 سنوات
WARRANTY 3 YEARS



إضاءة
بيضاء
6500K

LED-9W-STEPD



POWER
9 W = 60W



INPUT VOLTAGE
175-265 V



LIFE TIME
25000 HOURS



BEAM ANGLE
200°



LUMINOUS FLUX
900 LUMENS



P.F
> 0.5



FREQUENCY
50/60 HZ



CRI
> 80



BASE
E27

60mm



113mm

E27



SAMSUNG LED INSIDE



SIRAGE

LED BULB Classic

لمبة بالبلد كلاسيك

9

WATT



Low energy consumption. Easy replacements of classic lamps thanks to compact design. Environment-Friendly.

LED-A60-9W



ضمان 3 سنوات
WARRANTY 3 YEARS



إضاءة
دافئة
3000K



إضاءة
بيضاء
6500K



POWER
9 W = 60 W



INPUT VOLTAGE
175-265V



LIFE TIME
25000 HOURS



BEAM ANGLE
200°



LUMINOUS FLUX
900 LUMENS



P.F.
> 0.5



FREQUENCY
50/60HZ



CRI
> 80



BASE
E27

E27



60mm



SAMSUNG LED INSIDE

LED BULB Classic

لمبة بالب ليد كلاسيك

12
WATT



Low energy consumption. Easy replacements of classic lamps thanks to compact design. Environment-Friendly.

SIRAGE



ضمان 3 سنوات
WARRANTY 3 YEARS



إضاءة
دافئة
3000K



إضاءة
بيضاء
6500K

LED-A65-12W



POWER
12 W = 80 W



INPUT VOLTAGE
175-265 V



LIFE TIME
25000 HOURS



BEAM ANGLE
200°



LUMINOUS FLUX
1250 LUMENS



P.F
> 0.5



FREQUENCY
50/60 HZ



CRI
> 80



BASE
E27



SAMSUNG LED INSIDE



SIRAGE

LED BULB Classic

لمبة بالب ليد كلاسيك

15
WATT



Low energy consumption. Easy replacements of classic lamps thanks to compact design. Environment-Friendly.

LED-A70-15W



ضمان 3 سنوات
WARRANTY 3 YEARS



إضاءة
دافئة
3000K



إضاءة
بيضاء
6500K



POWER
15 W = 100 W



INPUT VOLTAGE
175-265 V



LIFE TIME
25000 HOURS



BEAM ANGLE
200°



LUMINOUS FLUX
1550 LUMENS



P.F
> 0.5



FREQUENCY
50/60 HZ



CRI
> 80



BASE
E27

E27



70mm



140mm

SAMSUNG LED INSIDE

LED BULB Classic

لمبة باليد كلاسيك

18
WATT



Low energy consumption. Easy replacements of classic lamps thanks to compact design. Environment-Friendly.

SIRAGE



ضمان 3 سنوات
WARRANTY 3 YEARS



إضاءة
دافئة
3000K



إضاءة
بيضاء
6500K

LED-A80-18W



POWER
18 W = 120 W



INPUT VOLTAGE
175-265 V



LIFE TIME
25000 HOURS



BEAM ANGLE
200°



LUMINOUS FLUX
1800 LUMENS



P.F
> 0.5



FREQUENCY
50/60 HZ



CRI
> 80



BASE
E27

80mm



153mm

E27



SAMSUNG LED INSIDE

SIRAGE

LED BULB High Power

لمبة بالب ليد هاي باور

30
WATT



Pleasantly designed compact housing and extremely high light output. Suitable for outdoor use inside special fixtures.

LED-HP-30W



ضمان 3 سنوات
WARRANTY 3 YEARS



إضاءة
بيضاء
6500K



POWER
30 W = CFL 50W



INPUT VOLTAGE
175-265 V



LIFE TIME
25000 HOURS



BEAM ANGLE
160°



LUMINOUS FLUX
3000 LUMENS



P.F
> 0.5



FREQUENCY
50/60 HZ



CRI
> 80



BASE
E27

E27



100mm



153mm

ENERGY SAVING

LED BULB High Power

لمبة باليد هاي باور

40
WATT



Pleasantly designed compact housing and extremely high light output. Suitable for outdoor use inside special fixtures.

SIRAGE



ضمان 3 سنوات
WARRANTY 3 YEARS



LED-HP-40W



POWER
40 W = CFL 65W



INPUT VOLTAGE
175-265 V



LIFE TIME
25000 HOURS



BEAM ANGLE
160°



LUMINOUS FLUX
4000 LUMENS



P.F
> 0.5



FREQUENCY
50/60 HZ



CRI
> 80



BASE
E27

120mm



170mm

E27



ENERGY SAVING



SIRAGE

LED BULB High Power

لمبة بالباليد هاي باور

50
WATT



Pleasantly designed compact housing and extremely high light output. Suitable for outdoor use inside special fixtures.

LED-HP-50W



ضمان 3 سنوات
WARRANTY 3 YEARS



إضاءة
بيضاء
6500K



POWER
50 W = CFL 80W



INPUT VOLTAGE
175-265 V



LIFE TIME
25000 HOURS



BEAM ANGLE
160°



LUMINOUS FLUX
5000 LUMENS



P.F.
> 0.5



FREQUENCY
50/60 HZ



CRI
> 80



BASE
E27

E27



140mm




192.5mm

ENERGY SAVING



SIRAGE



عائلة اللمبات الشمعة الليد
LED CANDLE BULB FAMILY

SIRAGE

LED CANDLE LAMP Normal

لمبة شمعة ليد بلقة

4

WATT



Easy replacements of classic lamps thanks to compact design. Suitable for indoor use like Chandeliers.

LED - C 37 - 4 W



ضمان 3 سنوات
WARRANTY 3 YEARS



إضاءة
دافئة
3000K



إضاءة
بيضاء
6500K



POWER
4 W = 30 W



INPUT VOLTAGE
175-240 V



LIFE TIME
25000 HOURS



BEAM ANGLE
200°



LUMINOUS FLUX
360 LUMENS



P.F.
> 0.5



FREQUENCY
50/60 HZ



CRI
> 80



BASE
E14

E14



37mm



105mm

ENERGY SAVING

LED CANDLE LAMP

Normal

لمبة شمعلة ليد

بلبله

6

WATT



Easy replacements of classic lamps thanks to compact design. Suitable for indoor use like Chandeliers.



SIRAGE



ضمان 3 سنوات
WARRANTY 3 YEARS



إضاءة
دافئة
3000K



إضاءة
بيضاء
6500K

LED-C37-6W



POWER
6W = 40 W



INPUT VOLTAGE
175-240 V



LIFE TIME
25000 HOURS



BEAM ANGLE
200°



LUMINOUS FLUX
540 LUMENS



P.F
> 0.5



FREQUENCY
50/60 HZ



CRI
> 80



BASE
E14

37mm



105mm

E14



ENERGY SAVING

SIRAGE

LED CANDLE LAMP Tailed

لمبة شمعة ليد دمعة

5

WATT



Easy replacements of classic lamps thanks to compact design. Suitable for indoor use like Chandeliers.

LED-CA 37 - 5W



ضمان 3 سنوات
WARRANTY 3 YEARS



إضاءة
دافئة
3000K



إضاءة
بيضاء
6500K



POWER
5 W = 35 W



INPUT VOLTAGE
175-240 V



LIFE TIME
25000 HOURS



BEAM ANGLE
200°



LUMINOUS FLUX
450 LUMENS



P.F
> 0.5



FREQUENCY
50/60 HZ



CRI
> 80



BASE
E14

E14



37mm



125mm

ENERGY SAVING

LED CANDLE LAMP

Tailed

لمبة شمعَة ليد

دمعة

6

WATT



Easy replacements of classic lamps thanks to compact design. Suitable for indoor use like Chandeliers.



SIRAGE



ضمان 3 سنوات
WARRANTY 3 YEARS



LED-CA37-6W



POWER
6 W = 40 W



INPUT VOLTAGE
175-240 V



LIFE TIME
25000 HOURS



BEAM ANGLE
200°



LUMINOUS FLUX
540 LUMENS



P.F
> 0.5



FREQUENCY
50/60 HZ



CRI
> 80



BASE
E14

37mm



125mm

E14



ENERGYSAVING

SIRAGE

LED CANDLE LAMP Crystal

لمبة شمعة ليد
كريستال

5

WATT



Easy replacements of classic lamps thanks to compact design. Suitable for indoor use like Chandeliers.

LED-C35-5W



ضمان 3 سنوات
WARRANTY 3 YEARS



إضاءة
دافئة
3000K



إضاءة
بيضاء
6500K



POWER
5 W = 35W



INPUT VOLTAGE
175-240 V



LIFE TIME
25000 HOURS



BEAM ANGLE
200°



LUMINOUS FLUX
450 LUMENS



P.F
> 0.5



FREQUENCY
50/60 HZ



CRI
> 80



BASE
E14

E14



37mm



105mm

ENERGY SAVING

LED LAMP

Bola

لمبة ليد

بولا

4

WATT



Easy replacements of classic lamps thanks to compact design. Suitable for indoor use like Bedside and Desk lamps.



POWER
4 W = 30W



INPUT VOLTAGE
175-265 V



LIFE TIME
25000 HOURS



BEAM ANGLE
200°



LUMINOUS FLUX
320 LUMENS



P.F
> 0.5



FREQUENCY
50/60 HZ



CRI
> 80




BASE
E27

45mm



88mm

E27



SIRAGE



ضمان 3 سنوات
WARRANTY 3 YEARS



إضاءة
دافئة
3000K



إضاءة
بيضاء
6500K

LED-G45-4W

ENERGYSAVING



SIRAGE

LED LAMP

Bola

لمبة ليد
بولا

5

WATT



Easy replacements of classic lamps thanks to compact design. Suitable for indoor use like Bedside and Desk lamps.

LED - G 45 - 5 W



ضمان 3 سنوات
WARRANTY 3 YEARS



إضاءة
دافئة
3000K



إضاءة
بيضاء
6500K



POWER
5 W = 35W



INPUT VOLTAGE
175-265 V



LIFE TIME
25000 HOURS



BEAM ANGLE
200°



LUMINOUS FLUX
500 LUMENS



P.F
> 0.5



FREQUENCY
50/60 HZ



CRI
> 80



BASE
E14 / E27

E14



E27



45mm




88mm

ENERGY SAVING



SIRAGE



عائلة اللمبات ال سبوت
SPOT LAMP FAMILY



SIRAGE

SPOT LAMP Clear

لمبة سبوت
كليس

4

WATT



Easy replacements of halogen lamps due to optic design. Suitable for Shops, Hospitality, Art galleries and Residential interiors.

LED-4W-MR16-COVER



ضمان 3 سنوات
WARRANTY 3 YEARS



إضاءة
دافئة
3000K



إضاءة
بيضاء
6500K



POWER
4 W = 30W



INPUT VOLTAGE
170-265 V



LIFE TIME
25000 HOURS



BEAM ANGLE
100°



LUMINOUS FLUX
420 LUMENS



P.F.
> 0.5



FREQUENCY
50/60 HZ



CRI
> 80



BASE
GU5.3



ENERGY SAVING

SPOT LAMP

Clear

لمبة سبوت كليس

6

WATT



Easy replacements of halogen lamps due to optic design. Suitable for Shops, Hospitality, Art galleries and Residential interiors.

SIRAGE



ضمان 3 سنوات
WARRANTY 3 YEARS



إضاءة
دافئة
3000K



إضاءة
بيضاء
6500K

LED-6W-MR16-COVER



POWER
6 W = 40 W



INPUT VOLTAGE
170-265 V



LIFE TIME
25000 HOURS



BEAM ANGLE
100°



LUMINOUS FLUX
630 LUMENS



P.F.
> 0.5



FREQUENCY
50/60 HZ



CRI
> 80



BASE
GU5.3



ENERGY SAVING



SIRAGE

SPOT LAMP Crystal

لمبة سبوت
كريستال

4

WATT



Easy replacements of halogen lamps due to optic design. Suitable for Shops, Hospitality, Art galleries and Residential interiors.

LED-4W-MR16-LENS



ضمان 3 سنوات
WARRANTY 3 YEARS



إضاءة
دافئة
3000K



إضاءة
بيضاء
6500K



POWER
4 W = 30 W



INPUT VOLTAGE
170-265 V



LIFE TIME
25000 HOURS



BEAM ANGLE
45°



LUMINOUS FLUX
420 LUMENS



P.F.
> 0.5



FREQUENCY
50/60 HZ



CRI
> 80



BASE
GU5.3



ENERGY SAVING

SPOT LAMP Crystal

لمبة سبوت كريستال

6
WATT



Easy replacements of halogen lamps due to optic design. Suitable for Shops, Hospitality, Art galleries and Residential interiors.



POWER
6W = 40 W



INPUT VOLTAGE
170-265 V



LIFE TIME
25000 HOURS



BEAM ANGLE
45°



LUMINOUS FLUX
630 LUMENS



P.F
> 0.5



FREQUENCY
50/60 HZ



CRI
> 80



BASE
GU5.3



SIRAGE



ضمان 3 سنوات
WARRANTY 3 YEARS



إضاءة
دافئة
3000K



إضاءة
بيضاء
6500K

LED-6W-MR16-LENS

ENERGY SAVING



SIRAGE

SPOT LAMP GU10

لمبة سبوت
كعب سترتر

6

WATT



Easy replacements of halogen lamps due to optic design. Suitable for Shops, Hospitality, Art galleries and Residential interiors.

LED-6W-GU10



ضمان 3 سنوات
WARRANTY 3 YEARS



إضاءة
دافئة
3000K



إضاءة
بيضاء
6500K



POWER
6 W = 40W



INPUT VOLTAGE
170-265 V



LIFE TIME
25000 HOURS



BEAM ANGLE
45°



LUMINOUS FLUX
630 LUMENS



P.F
> 0.5



FREQUENCY
50/60 HZ



CRI
> 80




BASE
GU10



ENERGYSAVING



SIRAGE



عائلة الأسبوت المتحرك
DYNAMIC SPOTLIGHT FAMILY



SIRAGE

WHITE SPOTLIGHT Dynamic

سبوت أبيض
متحرك

5

WATT



Ideal replacements for Halogen spotlights, with tilting head to adjust light beam where needed. Suitable for Office, Retail, and Hospitality lighting.

LED-R-DS-5W



ضمان سنتين
WARRANTY 2 YEARS



إضاءة
دافئة
3000K



إضاءة
بيضاء
6500K



POWER
5 W



INPUT VOLTAGE
180-265 V



LIFE TIME
25000 HOURS



BEAM ANGLE
45°



LUMINOUS FLUX
400 LUMENS



P.F
> 0.5



FREQUENCY
50/60 HZ



CRI
> 80



BASE
-



ENERGYSAVING

WHITE SPOTLIGHT

Dynamic

سبوت أبيض

متحرك

SIRAGE

6.5
WATT



Ideal replacements for Halogen spotlights, with tilting head to adjust light beam where needed. Suitable for Office, Retail, and Hospitality lighting.



ضمان سنتين
WARRANTY 2 YEARS



إضاءة
دافئة
3000K



إضاءة
بيضاء
6500K

LED-R-DS-6.5W



POWER
6.5 W



INPUT VOLTAGE
180-265 V



LIFE TIME
25000 HOURS



BEAM ANGLE
45°



LUMINOUS FLUX
550 LUMENS



P.F
> 0.5




FREQUENCY
50/60 HZ




CRI
> 80



BASE
-



SPOT SIZE



HOLE SIZE

ENERGY SAVING



SIRAGE

SILVER SPOTLIGHT

Dynamic

سبوت فضي
متحرك

5

WATT



Ideal replacements for Halogen spotlights, with tilting head to adjust light beam where needed. Suitable for Office, Retail, and Hospitality lighting.

LED-R-DS-5W



ضمان سنتين
WARRANTY 2 YEARS



إضاءة
دافئة
3000K



إضاءة
بيضاء
6500K



POWER
5 W



INPUT VOLTAGE
180-265 V



LIFE TIME
25000 HOURS



BEAM ANGLE
45°



LUMINOUS FLUX
400 LUMENS



P.F
> 0.5




FREQUENCY
50/60 HZ



CRI
> 80



BASE
-



ENERGY SAVING

SILVER SPOTLIGHT

Dynamic

سبوت فضي
متحرك

SIRAGE

6.5
WATT



Ideal replacements for Halogen spotlights, with tilting head to adjust light beam where needed. Suitable for Office, Retail, and Hospitality lighting.



ضمان سنتين
WARRANTY 2 YEARS



LED-R-DS-6.5W



POWER
6.5 W



INPUT VOLTAGE
180-265 V



LIFE TIME
25000 HOURS



BEAM ANGLE
45°



LUMINOUS FLUX
550 LUMENS



P.F
> 0.5




FREQUENCY
50/60 HZ




CRI
> 80



BASE
-



SPOT SIZE



HOLE SIZE

ENERGY SAVING



SIRAGE

GOLD SPOTLIGHT

Dynamic

سبوت ذهبي
متحرك

5

WATT



Ideal replacements for Halogen spotlights, with tilting head to adjust light beam where needed. Suitable for Office, Retail, and Hospitality lighting.

LED-R-DS-5W



ضمان سنتين
WARRANTY 2 YEARS



إضاءة
دافئة
3000K



إضاءة
بيضاء
6500K



POWER
5 W



INPUT VOLTAGE
180-265 V



LIFE TIME
25000 HOURS



BEAM ANGLE
45°



LUMINOUS FLUX
400 LUMENS



P.F
> 0.5




FREQUENCY
50/60 HZ



CRI
> 80



BASE
-



ENERGY SAVING

GOLD SPOTLIGHT

Dynamic

سبوت ذهبي

متحرك

SIRAGE

6.5
WATT



Ideal replacements for Halogen spotlights, with tilting head to adjust light beam where needed. Suitable for Office, Retail, and Hospitality lighting.



ضمان سنتين
WARRANTY 2 YEARS



إضاءة
دافئة
3000K



إضاءة
بيضاء
6500K

LED-R-DS-6.5W



POWER
6.5 W



INPUT VOLTAGE
180-265 V



LIFE TIME
25000 HOURS



BEAM ANGLE
45°



LUMINOUS FLUX
550 LUMENS



P.F.
> 0.5



FREQUENCY
50/60 HZ



CRI
> 80



BASE
-



SPOT SIZE



HOLE SIZE

ENERGY SAVING



SIRAGE

WOODEN SPOTLIGHT

Dynamic

سبوت خشبي
متحرك

5

WATT



Ideal replacements for Halogen spotlights, with tilting head to adjust light beam where needed. Suitable for Office, Retail, and Hospitality lighting.

LED-R-DS-5W



ضمان سنتين
WARRANTY 2 YEARS



إضاءة
دافئة
3000K



إضاءة
بيضاء
6500K



POWER
5 W



INPUT VOLTAGE
180-265 V



LIFE TIME
25000 HOURS



BEAM ANGLE
45°



LUMINOUS FLUX
400 LUMENS



P.F
> 0.5





FREQUENCY
50/60 HZ



CRI
> 80




BASE
-



ENERGY SAVING



SIRAGE



عائلة البانلات الليد البلاستيكية
LED PLASTIC PANELS FAMILY



SIRAGE

LED DOWNLIGHT Recessed

بانل ليد بلاستيك
غاطس

6

WATT



Exclusive Backlit LED technology to realize a higher light efficacy. Suitable for indoor use like office, shops, and Hotels lighting.

LED-R-DL-6W



ضمان 3 سنوات
WARRANTY 3 YEARS



إضاءة
دافئة
3000K



إضاءة
بيضاء
6500K



POWER
6 W



INPUT VOLTAGE
175-265 V



LIFE TIME
25000 HOURS



BEAM ANGLE
120°



LUMINOUS FLUX
540 LUMENS



P.F
> 0.5




FREQUENCY
50/60 HZ



CRI
> 80



BASE
-



ENERGY SAVING

LED DOWNLIGHT

Recessed

بانل ليد بلاستيك غاطس

SIRAGE

20
WATT



Exclusive Backlit LED technology to realize a higher light efficacy. Suitable for indoor use like office, shops, and Hotels lighting.



ضمان 3 سنوات
WARRANTY 3 YEARS



LED-R-DL-20W



POWER
20 W



INPUT VOLTAGE
175-265 V



LIFE TIME
25000 HOURS



BEAM ANGLE
120°



LUMINOUS FLUX
1800 LUMENS



P.F
> 0.5



FREQUENCY
50/60 HZ



CRI
> 80




BASE
-

170mm



24mm



ENERGY SAVING



SIRAGE

LED DOWNLIGHT Recessed

بانل ليد بلاستيك
غاطس

30
WATT



Exclusive Backlit LED technology to realize a higher light efficacy. Suitable for indoor use like office, shops, and Hotels lighting.

LED-R-DL-30W



ضمان 3 سنوات
WARRANTY 3 YEARS



إضاءة
دافئة
3000K



إضاءة
بيضاء
6500K



POWER
30 W



INPUT VOLTAGE
175-265 V



LIFE TIME
25000 HOURS



BEAM ANGLE
120°



LUMINOUS FLUX
2700 LUMENS



P.F
> 0.5




FREQUENCY
50/60 HZ



CRI
> 80



BASE
-



ENERGY SAVING

LED DOWNLIGHT

Surface

بانل ليد بلاستيك سطحي

20
WATT



Exclusive Backlit LED technology to realize a higher light efficacy. Suitable for indoor use like office, shops, and Hotels lighting.

SIRAGE



ضمان 3 سنوات
WARRANTY 3 YEARS



LED-S-DL-20W



POWER
20 W



INPUT VOLTAGE
175-265 V



LIFE TIME
25000 HOURS



BEAM ANGLE
120°



LUMINOUS FLUX
1800 LUMENS



P.F
> 0.5



FREQUENCY
50/60 HZ



CRI
> 80




BASE
-

170mm



24mm



ENERGY SAVING



SIRAGE

LED DOWNLIGHT Surface

بانل ليد بلاستيك
سطحي

30
WATT



Exclusive Backlit LED technology to realize a higher light efficacy. Suitable for indoor use like office, shops, and Hotels lighting.

LED-S-DL-30W



ضمان 3 سنوات
WARRANTY 3 YEARS



إضاءة
دافئة
3000K



إضاءة
بيضاء
6500K



POWER
30 W



INPUT VOLTAGE
175-265 V



LIFE TIME
25000 HOURS



BEAM ANGLE
120°



LUMINOUS FLUX
2700 LUMENS



P.F
> 0.5




FREQUENCY
50/60 HZ



CRI
> 80



BASE
-



24mm




225mm



ENERGY SAVING



SIRAGE



عائلة البانلات الليد المعدنية
LED METAL PANELS FAMILY

SIRAGE

LED SLIM PANEL Recessed

بانل سليم معدن
غاطس

3
WATT



Slim Light Guide Plate with light transmission rate at 80% would ensure high brightness. Suitable for indoor use like office, shops, and Hotels lighting.

LED-PL-R-3W



ضمان سنتين
WARRANTY 2 YEARS



إضاءة
دافئة
3000K



إضاءة
بيضاء
6500K



POWER
3 W



INPUT VOLTAGE
85-265 V



LIFE TIME
25000 HOURS



BEAM ANGLE
120°



LUMINOUS FLUX
210 LUMENS



P.F
> 0.5





FREQUENCY
50/60 HZ



CRI
> 80



BASE
-



ENERGY SAVING

LED SLIM PANEL

Recessed

بانل سليم معدن
غطاس

SIRAGE

6
WATT



Slim Light Guide Plate with light transmission rate at 80% would ensure high brightness. Suitable for indoor use like office, shops, and Hotels lighting.



ضمان سنتين
WARRANTY 2 YEARS



إضاءة
دافئة
3000K



إضاءة
بيضاء
6500K

LED-PL-R-6W



POWER
6 W



INPUT VOLTAGE
85-265 V



LIFE TIME
25000 HOURS



BEAM ANGLE
120°



LUMINOUS FLUX
420 LUMENS



P.F
> 0.5






FREQUENCY
50/60 HZ



CRI
> 80



BASE
-



ENERGY SAVING

SIRAGE

LED SLIM PANEL Recessed

بانل سليم معدن
غاطس

18
WATT



Slim Light Guide Plate with light transmission rate at 80% would ensure high brightness. Suitable for indoor use like office, shops, and Hotels lighting.

LED-PL-R-18W



ضمان سنتين
WARRANTY 2 YEARS



إضاءة
دافئة
3000K



إضاءة
بيضاء
6500K



POWER
18 W



INPUT VOLTAGE
85-265 V



LIFE TIME
25000 HOURS



BEAM ANGLE
120°



LUMINOUS FLUX
1250 LUMENS



P.F
> 0.5






FREQUENCY
50/60 HZ



CRI
> 80



BASE
-



ENERGY SAVING

LED METAL PANEL Surface

بانل معدن
سطحي

18
WATT



Aluminium housing. Can Be Used In Residences, Offices, Shops, Malls Where False Ceiling Is Not Done.



SIRAGE



ضمان سنتين
WARRANTY 2 YEARS



إضاءة
دافئة
3000K



إضاءة
بيضاء
6500K

LED-PL-S-18W



POWER
18 W



INPUT VOLTAGE
85-265 V



LIFE TIME
25000 HOURS



BEAM ANGLE
120°



LUMINOUS FLUX
1250 LUMENS



P.F
> 0.5



FREQUENCY
50/60 HZ




CRI
> 80



BASE
-

225mm



35mm



ENERGYSAVING



SIRAGE

LED METAL PANEL Surface

بانل معدن
سطحي

24
WATT



Alumunium housing. Can Be Used In Residences, Offices, Shops, Malls Where False Ceiling Is Not Done.

LED-PL-S-24W



ضمان سنتين
WARRANTY 2 YEARS



إضاءة
دافئة
3000K



إضاءة
بيضاء
6500K



POWER
24 W



INPUT VOLTAGE
85-265 V



LIFE TIME
25000 HOURS



BEAM ANGLE
120°



LUMINOUS FLUX
1680 LUMENS



P.F
> 0.5




FREQUENCY
50/60 HZ



CRI
> 80



BASE
-



35mm




300mm



ENERGY SAVING



SIRAGE



عائلة البانلات ال COB
COB PANELS FAMILY



SIRAGE

COB PANEL Recessed

COB بانل
غاطس

5

WATT



A higher-quality light source, That use reflectors to provide focused and controlled light. Suitable for offices, shops, and Hotels lighting.

LED-COB-5W



ضمان 3 سنوات
WARRANTY 3 YEARS



إضاءة
دافئة
3000K



إضاءة
بيضاء
6500K



POWER
5 W



INPUT VOLTAGE
175-265 V



LIFE TIME
25000 HOURS



BEAM ANGLE
120°



LUMINOUS FLUX
450 LUMENS



P.F
> 0.9



FREQUENCY
50/60 HZ




CRI
> 80



BASE
-

87.5mm



50.5mm



75mm

ENERGY SAVING

COB PANEL Recessed

COB بانل غاطس

SIRAGE

20
WATT



A higher-quality light source, That use reflectors to provide focused and controlled light. Suitable for offices, shops, and Hotels lighting.



ضمان 3 سنوات
WARRANTY 3 YEARS



LED-COB-20W



POWER
20 W



INPUT VOLTAGE
175-265 V



LIFE TIME
25000 HOURS



BEAM ANGLE
120°



LUMINOUS FLUX
1800 LUMENS



P.F
> 0.9



FREQUENCY
50/60 HZ




CRI
> 80



BASE
-


161.5mm



41.9mm



145mm



ENERGY SAVING

SIRAGE

COB PANEL Recessed

COB بانل
غاطس

30
WATT



A higher-quality light source, That use reflectors to provide focused and controlled light. Suitable for offices, shops, and Hotels lighting.

LED-COB-30W



ضمان 3 سنوات
WARRANTY 3 YEARS



إضاءة
دافئة
3000K



إضاءة
بيضاء
6500K



POWER
30 W



INPUT VOLTAGE
175-265 V



LIFE TIME
25000 HOURS



BEAM ANGLE
120°



LUMINOUS FLUX
2700 LUMENS



P.F
> 0.9



FREQUENCY
50/60 HZ




CRI
> 80



BASE
-


224 mm



48.4 mm




200 mm



ENERGY SAVING



SIRAGE



عائلة كشافات الواجهات
OUTDOOR FLOODLIGHT FAMILY

SIRAGE

FLOODLIGHT Outdoor

كشاف واجهات
خارجي

50
WATT



High performance with outstanding efficiency, with robust aluminum die-cast. Suitable for outdoor uses, like Public areas and Building Facades.

LED-FL-50W



ضمان 3 سنوات
WARRANTY 3 YEARS



إضاءة
دافئة
3000K



إضاءة
بيضاء
6500K



POWER
50 W



INPUT VOLTAGE
100-250 V



LIFE TIME
25000 HOURS



BEAM ANGLE
120°



LUMINOUS FLUX
5000 LUMENS



P.F.
> 0.9



FREQUENCY
50/60 HZ



CRI
> 80



BASE
-

ENERGY SAVING

FLOODLIGHT

Outdoor

كشاف واجهات خارجي

100
WATT



High performance with outstanding efficiency, with robust aluminum die-cast. Suitable for outdoor uses, like Public areas and Building Facades.

SIRAGE



ضمان 3 سنوات
WARRANTY 3 YEARS



LED-FL-100W



POWER
100 W



INPUT VOLTAGE
100-250 V



LIFE TIME
25000 HOURS



BEAM ANGLE
120°



LUMINOUS FLUX
10000 LUMENS



P.F
> 0.9



FREQUENCY
50/60 HZ



CRI
> 80



BASE
-

ENERGY SAVING



SIRAGE

FLOODLIGHT Outdoor

كشاف واجهات
خارجي

150
WATT



High performance with outstanding efficiency, with robust aluminum die-cast. Suitable for outdoor uses, like Public areas and Building Facades.

LED-FL - 150W



ضمان 3 سنوات
WARRANTY 3 YEARS



إضاءة
دافئة
3000K



إضاءة
بيضاء
6500K



POWER
150 W



INPUT VOLTAGE
100-250 V



LIFE TIME
25000 HOURS



BEAM ANGLE
120°



LUMINOUS FLUX
15000 LUMENS



P.F
> 0.9



FREQUENCY
50/60 HZ



CRI
> 80




BASE
-

ENERGY SAVING



SIRAGE



عائلة البانلات البلفونية
FRINGELESS PANELS FAMILY

SIRAGE

FRINGELESS PANEL Surface

بانل بلغونيرة
سطحي

24
WATT



Ceiling LED luminaire utilized in versatile application Suitable for Living Room, Bedroom, Dining Room, Balconies, Hallway and Lounges.

LED-CL-24W



ضمان 3 سنوات
WARRANTY 3 YEARS



إضاءة
دافئة
3000K



إضاءة
بيضاء
6500K



POWER
24 W



INPUT VOLTAGE
175-265 V



LIFE TIME
25000 HOURS



BEAM ANGLE
120°



LUMINOUS FLUX
2160 LUMENS



P.F
> 0.9





FREQUENCY
50/60 HZ



CRI
> 80



BASE
-




1




2



3



40mm



175mm

ENERGYSAVING

FRINGELESS PANEL Surface

بانل بلفونية سطحي

36
WATT



Ceiling LED luminaire utilized in versatile application Suitable for Living Room, Bedroom, Dining Room, Balconies, Hallway and Lounges.

SIRAGE



ضمان 3 سنوات
WARRANTY 3 YEARS



LED-CL-36W



POWER
36 W



INPUT VOLTAGE
175-265 V



LIFE TIME
25000 HOURS



BEAM ANGLE
120°



LUMINOUS FLUX
3240 LUMENS



P.F
> 0.9






FREQUENCY
50/60 HZ



CRI
> 80





BASE
-



ENERGY SAVING



SIRAGE



عائلة الكشافات المضادة للرطوبة والأتربة
MOISTURE-PROOF LED BULKHEAD FAMILY

OVAL BULKHEAD

Moisture-Proof

كشاف بيضاوي
مقاوم للرطوبة والأتربة

12

WATT



Wall and ceiling LED luminaire that can be utilized in versatile application ranges including: damp environments, Entrance halls, Receptions, Stairwells, Corridors, and outside walls of buildings.



SIRAGE



ضمان 3 سنوات
WARRANTY 3 YEARS



إضاءة
دافئة
3000K



إضاءة
بيضاء
6500K

LED-BH-0-12W



POWER
12 W



INPUT VOLTAGE
100-265 V



LIFE TIME
25000 HOURS



BEAM ANGLE
120°



LUMINOUS FLUX
1080 LUMENS



P.F.
> 0.5



FREQUENCY
50/60 HZ



CRI
> 80



BASE
-



Light Sensor



Motion Sensor

ENERGY SAVING



SIRAGE

OVAL BULKHEAD Moisture-Proof

كشاف بيشاوي
مقاوم للرطوبة والأتربة

18
WATT

LED-BH-0-18W



ضمان 3 سنوات
WARRANTY 3 YEARS



إضاءة
دافئة
3000K



إضاءة
بيضاء
6500K



Wall and ceiling LED luminaire that can be utilized in versatile application ranges including: damp environments, Entrance halls, Receptions, Stairwells, Corridors, and outside walls of buildings.



POWER
18 W



INPUT VOLTAGE
100-265 V



LIFE TIME
25000 HOURS



BEAM ANGLE
120°



LUMINOUS FLUX
1620 LUMENS



P.F.
> 0.5



FREQUENCY
50/60 HZ



CRI
> 80



BASE
-



Motion Sensor



Light Sensor

ENERGY SAVING

ROUND BULKHEAD

Moisture-Proof

كشاف دائري
مقاوم للرطوبة والأتربة

12

WATT



Wall and ceiling LED luminaire that can be utilized in versatile application ranges including: damp environments, Entrance halls, Receptions, Stairwells, Corridors, and outside walls of buildings.



SIRAGE



ضمان 3 سنوات
WARRANTY 3 YEARS



إضاءة
دافئة
3000K



إضاءة
بيضاء
6500K

LED-BH-R-12W



POWER
12 W



INPUT VOLTAGE
100-265 V



LIFE TIME
25000 HOURS



BEAM ANGLE
120°



LUMINOUS FLUX
1080 LUMENS



P.F.
> 0.5



FREQUENCY
50/60 HZ



CRI
> 80



BASE
-



Light Sensor



Motion Sensor

ENERGY SAVING



SIRAGE

ROUND BULKHEAD Moisture-Proof

كشاف دائري
مقاوم للرطوبة والأتربة

18
WATT



Wall and ceiling LED luminaire that can be utilized in versatile application ranges including: damp environments, Entrance halls, Receptions, Stairwells, Corridors, and outside walls of buildings.

LED-BH-R-18W



ضمان 3 سنوات
WARRANTY 3 YEARS



إضاءة
دافئة
3000K



إضاءة
بيضاء
6500K



POWER
18 W



INPUT VOLTAGE
100-265 V



LIFE TIME
25000 HOURS



BEAM ANGLE
120°



LUMINOUS FLUX
1620 LUMENS



P.F
> 0.5



FREQUENCY
50/60 HZ



CRI
> 80



BASE
-



Motion Sensor




Light Sensor

ENERGY SAVING



SIRAGE



عائلة البانلات الليد ثنائية الألوان
LED DOWNLIGHT DOUBLE COLOR FAMILY

SIRAGE

LED DOWNLIGHT Double Color

بانل ليد
ثنائي الألوان

3W
+3W

LED-R-PL-2C-N/GW-3W



ضمان 3 سنوات
WARRANTY 3 YEARS



PINK

BLUE

RED

GREEN



Downlight LED technology to realize a higher light efficacy. Suitable for Architectural, Entertainment, Restaurant, Hotels, Ambient and Art galleries.



POWER
3 W + 3W



INPUT VOLTAGE
100-265 V



LIFE TIME
25000 HOURS



BEAM ANGLE
120°



LUMINOUS FLUX
145 LUMENS



P.F.
> 0.5




FREQUENCY
50/60 HZ



CRI
> 70



BASE
-



25mm



103mm



ENERGY SAVING

LED DOWNLIGHT

Double Color

بانل ليد ثنائي الألوان

SIRAGE

6w
+3w



Downlight LED technology to realize a higher light efficacy. Suitable for Architectural, Entertainment, Restaurant, Hotels, Ambient and Art galleries.



ضمان 3 سنوات
WARRANTY 3 YEARS

PINK

BLUE

RED

GREEN



إضاءة
بيضاء
6500K

LED-R-PL-2C-N/GW-6W



POWER
6W + 3W



INPUT VOLTAGE
100-265 V



LIFE TIME
25000 HOURS



BEAM ANGLE
120°



LUMINOUS FLUX
330 LUMENS



P.F
> 0.5



FREQUENCY
50/60 HZ



CRI
> 70



BASE
-

145mm



25mm



105mm



ENERGY SAVING



SIRAGE

LED DOWNLIGHT Double Color

بانل ليد
ثنائي الألوان

12w
+4w



ضمان 3 سنوات
WARRANTY 3 YEARS



PINK

BLUE

RED

GREEN



Downlight LED technology to realize a higher light efficacy. Suitable for Architectural, Entertainment, Restaurant, Hotels, Ambient and Art galleries.



POWER
12W + 4W



INPUT VOLTAGE
100-265 V



LIFE TIME
25000 HOURS



BEAM ANGLE
120°



LUMINOUS FLUX
720 LUMENS



P.F
> 0.5



FREQUENCY
50/60 HZ



CRI
> 70



BASE
-



25mm




195mm



ENERGY SAVING



SIRAGE



عائلة اللمبات التيوب الليد
LED TUBE LAMPS FAMILY



SIRAGE

LED TUBE LAMP

60 cm

لمبة تيوب ليد
60سم

9

WATT



LED-T8-9W



ضمان 3 سنوات
WARRANTY 3 YEARS



إضاءة
دافئة
3000K



إضاءة
بيضاء
6500K

Easy installation into standard T8 Fixture. Suitable for indoor uses like Offices, Class rooms and Shopping mall .



POWER
9W = 20W



INPUT VOLTAGE
85-265 V



LIFE TIME
25000 HOURS



BEAM ANGLE
270°



LUMINOUS FLUX
990 LUMENS



P.F
> 0.9



FREQUENCY
50/60 HZ



CRI
> 80



BASE
G13

ENERGY SAVING

LED TUBE LAMP

120 cm

لمبة تيوب ليد

120 سم

18

WATT



SIRAGE



Easy installation into standard T8 Fixture. Suitable for indoor uses like Offices, Class rooms and Shopping mall .



ضمان 3 سنوات
WARRANTY 3 YEARS



3000K



6500K

LED-T8-18W



POWER
18W = 40W



INPUT VOLTAGE
85-265 V



LIFE TIME
25000 HOURS



BEAM ANGLE
270°



LUMINOUS FLUX
1980 LUMENS



P.F
> 0.9



FREQUENCY
50/60 HZ



CRI
> 80




BASE
G13

ENERGY SAVING



SIRAGE



عائلة البانلات الفلات الليد
LED FLAT PANELS FAMILY

LED FLAT PANEL

60cm

بانل ليد فلات

60سم

48

WATT



High performance with outstanding efficiency.
Suitable for indoor uses like Offices, Retails,
Hospitals and General lighting.



SIRAGE



ضمان 3 سنوات
WARRANTY 3 YEARS



إضاءة
دافئة
3000K



إضاءة
بيضاء
6500K

PL/48W-LED



POWER
48 W



INPUT VOLTAGE
100-240 V



LIFE TIME
25000 HOURS



BEAM ANGLE
100°



LUMINOUS FLUX
4800 LUMENS



P.F
> 0.9




FREQUENCY
50/60 HZ



CRI
> 80




BASE
-



ENERGY SAVING



SIRAGE



عائلة لمبات UFO الليد
LED UFO LAMPS FAMILY

UFO LAMP LED

لمبة UFO ليد

30
WATT



Easy replacements of classic lamps thanks to compact design. Suitable for indoor uses like Home, Garage, Carport, Hallway and offices.



SIRAGE



ضمان 3 سنوات
WARRANTY 3 YEARS



إضاءة
دافئة
3000K



إضاءة
بيضاء
6500K

LED-UFO-E27-30W



POWER
30W



INPUT VOLTAGE
110-264V



LIFE TIME
25000 HOURS



BEAM ANGLE
120°



LUMINOUS FLUX
2700 LUMENS



P.F
> 0.5



FREQUENCY
50/60 HZ



CRI
> 80



BASE
E27

225mm



100mm

E27



ENERGY SAVING



SIRAGE

UFO LAMP LED

لمبة UFO ليد

40
WATT



Easy replacements of classic lamps thanks to compact design. Suitable for indoor uses like Home, Garage, Carport, Hallway and offices.

LED-UFO-E27-40W



ضمان 3 سنوات
WARRANTY 3 YEARS



إضاءة
دافئة
3000K



إضاءة
بيضاء
6500K



POWER
40W



INPUT VOLTAGE
110-264V



LIFE TIME
25000 HOURS



BEAM ANGLE
120°



LUMINOUS FLUX
3600 LUMENS



P.F
> 0.5



FREQUENCY
50/60 HZ



CRI
> 80



BASE
E27

E27



260mm



ENERGY SAVING

UFO LAMP LED

لمبة UFO ليد

50
WATT



Easy replacements of classic lamps thanks to compact design. Suitable for indoor uses like Home, Garage, Carport, Hallway and offices.

SIRAGE



ضمان 3 سنوات
WARRANTY 3 YEARS



إضاءة
دافئة
3000K



إضاءة
بيضاء
6500K

LED-UFO-E27-50W



POWER
50W



INPUT VOLTAGE
110-264V



LIFE TIME
25000 HOURS



BEAM ANGLE
120°



LUMINOUS FLUX
4500 LUMENS



P.F
> 0.5



FREQUENCY
50/60 HZ



CRI
> 80




BASE
E27



ENERGY SAVING



SIRAGE



عائلة مصابيح السقف الليد
LED CEILING LIGHTS FAMILY

LED CEILING LIGHT

Diamond

مصباح سقف ليد ماسي

24
WATT



Ceiling LED luminaire utilized in versatile application Suitable for Living Room, Bedroom, Dining Room, Balconies, Hallway and Lounges.



POWER
24W



INPUT VOLTAGE
170-264 V



LIFE TIME
25000 HOURS



BEAM ANGLE
110°



LUMINOUS FLUX
2160 LUMENS



P.F
> 0.5



FREQUENCY
50/60 HZ



CRI
> 80



BASE
-



SIRAGE



ضمان 3 سنوات
WARRANTY 3 YEARS



LED-CP/D-24W

ENERGY SAVING



SIRAGE

LED CEILING LIGHT Flat

مصباح سقف ليد
مسطح

24
WATT



Ceiling LED luminaire utilized in versatile application Suitable for Living Room, Bedroom, Dining Room, Balconies, Hallway and Lounges.

LED-CP/F-24W



ضمان 3 سنوات
WARRANTY 3 YEARS



إضاءة
دافئة
3000K



إضاءة
بيضاء
6500K



POWER
24W



INPUT VOLTAGE
170-264V



LIFE TIME
25000 HOURS



BEAM ANGLE
110°



LUMINOUS FLUX
2160 LUMENS



P.F
> 0.5



FREQUENCY
50/60 HZ



CRI
> 80



BASE
-

ENERGY SAVING

LED CEILING LIGHT

Mushroom

مصباح سقف ليد

مشروم

24
WATT



Ceiling LED luminaire utilized in versatile application Suitable for Living Room, Bedroom, Dining Room, Balconies, Hallway and Lounges.

SIRAGE



ضمان 3 سنوات
WARRANTY 3 YEARS



إضاءة
دافئة
3000K



إضاءة
بيضاء
6500K

LED-CP/M-24W



POWER
24W



INPUT VOLTAGE
170-264V



LIFE TIME
25000 HOURS



BEAM ANGLE
110°



LUMINOUS FLUX
2160 LUMENS



P.F
> 0.5



FREQUENCY
50/60 HZ




CRI
> 80



BASE
-



SIRAGE



عائلة الكشافات الخطية الليد
LED BATTEN LIGHTS FAMILY

LED BATTEN LIGHT

90cm

كشاف خطي ليد

90 سم

30

WATT



Batten Light suitable for indoor & outdoor uses like Kitchen, Bathroom, Bedroom, Offices, Malls, Corridor, Underground Stations, Factories, Warehouse and Garage.



POWER
30W



INPUT VOLTAGE
170-264 V



LIFE TIME
25000 HOURS



BEAM ANGLE
120°



LUMINOUS FLUX
2700 LUMENS



P.F
> 0.9



FREQUENCY
50/60 HZ



CRI
> 80



BASE
-



SIRAGE



ضمان 3 سنوات
WARRANTY 3 YEARS



إضاءة
دافئة
3000K



إضاءة
بيضاء
6500K

LED-BL90-30W

ENERGY SAVING

